


Section 1 Threaded Fasteners



ALL-METAL PREVAILING TORQUE LOCK NUTS # 980 V

Ref: DIN 980, Form V



SIZE	# 980 V Zinc Class 8	# 980 V-10 Zinc Class 10	# 980 V-A2 304 Stainless Steel	# 980 V-A4 316 Stainless Steel	DATA mm		
					ACROSS	OVERALL	USEABLE WRENCH
M 4 x 0.7	x	-	x	x	7	4.2	2.2
M 5 x 0.8	x	-	x	x	8	5.1	2.7
M 6 x 1	x	x	x	x	10	6	3.3
M 8 x 1.25	x	x	x	x	13	8	4.4
M 8 x 1	x	-	-	-	13	8	4.4
M 10 x 1.5	x	x	x	x	17	10	5.5
M 10 x 1.25	x	-	-	-	17	10	5.5
M 12 x 1.75	x	x	x	x	19	12	6.6
M 12 x 1.5	x	-	-	-	19	12	6.6
M 12 x 1.25	x	-	-	-	19	12	6.6
M 14 x 2	x	x	x	-	22	14	7.7
M 14 x 1.5	x	-	-	-	22	14	7.7
M 16 x 2	x	x	x	x	24	16	8.8
M 16 x 1.5	x	-	-	-	24	16	8.8
M 18 x 2.5	x	x	x	-	27	18	9.9
M 18 x 1.5	x	-	-	-	27	18	9.9
M 20 x 2.5	x	x	x	x	30	20	11
M 20 x 1.5	x	-	-	-	30	20	11
M 22 x 2.5	x	x	-	-	32	22	12.2
M 24 x 3	x	x	x	-	36	24	13.2
M 24 x 2	x	-	-	-	36	24	13.2
M 24 x 1.5	x	-	-	-	36	24	13.2
M 27 x 3	x	x	-	-	41	27	14.8
M 30 x 3.5	x	x	-	-	46	30	16.5
M 30 x 2	x	-	-	-	46	30	16.5
M 33 x 3.5	x	x	-	-	50	33	18.2
M 36 x 4	x	x	-	-	55	36	19.8

"x" denotes stock availability


ALL-METAL SPRING-LOCK HEX NUTS # VARGAL

Ref: Similar to DIN 980, Form M - 360° Radial Prevaling Torque

Designed to be installed & removed multiple times

Locking element not in contact with male thread

Temperature rating: -50°C to 200°C



SIZE	# VARGAL Zinc Class 8	# VARGAL-10 Zinc Class 10	# VARGAL-A2 304 Stainless Steel	DATA mm		
				ACROSS FLATS	OVERALL HEIGHT	HEX HEIGHT
6 x 1	x	x	*	10	8.2	4.5
8 x 1.25	x	x	*	13	10.8	6.7
8 x 1	x	*	*	13	10.8	6.7
10 x 1.5	x	x	*	17	12.6	8
10 x 1.25	x	*	*	17	12.6	8
12 x 1.75	x	x	*	19	16	10.6
12 x 1.5	x	*	*	19	16	10.6
12 x 1.25	x	*	*	19	16	10.6
14 x 2	x	x	*	22	18	12
16 x 2	x	x	*	24	20.6	13.5
20 x 2.5	x	x	*	30	25.5	16.9
24 x 3	x	*	*	36	29.9	20.6
30 x 3.5	x	*	-	46	37	26.6
36 x 4	x	*	-	55	44.2	31.5

"x" denotes stock availability * = factory availability in Europe - not stock in USA

For "in-between" sizes and sizes up to M 64 x 6 - **Please inquire.**

How to Order

Item #: 980 V

Size: 16 x 2

Quantity: 100

Tel: 1-888-966-MMCC

**Please note: For mechanical properties & tolerance information, please refer to Useful Information, Section 10.